

MargaretAnne Khoury
Développement Director



THE OWL SCHOOL

202 722-OWLS (6957)

6045 Sixteenth Street, NW

202 722-7945 (fax)

Washington, DC 20011

Home page www.owlschool.com

P 342 203 864

4/3/2000
Owl School 202-122-6957
had asbestos
removed some time
ago 4 years ago
renovated remaining
asbestos Summer 99



Receipt for Certified Mail

No Insurance Coverage Provided
 Do not use for International Mail
 (See Reverse)

Sent to	
S Margaret Harris, Principal F The Owl Elementary School F 6045 16th Street NW F Washington, D.C. 20011	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, and Addressee's Address	
TOTAL Postage & Fees	\$
Postmark or Date	

PS Form 3800, June 1991

Is your RETURN ADDRESS completed on the reverse side?

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address
2. ☐ Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

Margaret Harris, Principal
 The Owl Elementary School
 6045 16th Street NW
 Washington, D.C. 20011



4a. Article Number

P 342 203 864

4b. Service Type

- ☐ Registered ☒ Certified
☐ Express Mail ☐ Insured
☐ Return Receipt for Merchandise ☐ COD

7. Date of Delivery

12/13/99

5. Received By: (Print Name)

6. Signature: (Addressee or Agent)

X [Signature]

8. Addressee's Address (Only if requested and fee is paid)

PS Form 3811, December 1994

Domestic Return Receipt

Thank you for using Return Receipt Service.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION III
1650 Arch Street
Philadelphia, Pennsylvania 19103-2029

DEC 0 8 1999

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

Margaret Harris, Principal
The Owl Elementary School
6045 16th Street NW
Washington, D.C. 20011

Re: Notice of Noncompliance, Case No. #A2000-02

Dear Ms. Harris:

The United States Environmental Protection Agency ("U.S. EPA") serves this Notice of Noncompliance ("NON") to you for violations at The Owl Elementary School located on 6045 16th Street NW, Washington, D.C. 20011, of subchapter II of the Asbestos Hazard Emergency Response Act ("AHERA") of the Toxic Substances Control Act ("TSCA"), 15 U.S.C. §§ 2601 to 2692, as alleged below. Each violation is based on information collected by the U.S. EPA inspector during a February 17, 1999 inspection, indicating that the following AHERA violations existed at that time:

- Failure to ensure that workers and building occupants, or their legal guardians, are informed at least once each school year about inspections, response actions, and post-response activities, including periodic reinspection and surveillance activities that are planned or in progress, in violation of 40 C.F.R. § 763.84(c);
- Failure to document a reinspection of the school facility every three years as required by the regulations, in violation of 40 C.F.R. §763.85(b);
- Failure to maintain in the LEA's or school's administrative office a complete, updated copy of the management plan for the school, in violation of 40 C.F.R. §763.93(g)(2);
- Failure to notify in writing parent, teacher, and employee organizations of the availability of the management plans in violation of 40 C.F.R. §763.93(g)(4).

The Interim Final Enforcement Response Policy for the Asbestos Hazard Emergency Response Act ("AHERA ERP"), dated January 31, 1989 (enclosed), provides that Notices of Noncompliance ("NON") are to be issued to Local Educational Agencies for certain violations of AHERA and/or AHERA regulations.

The AHERA ERP provides that no penalties be assessed for the violations in the bulleted list. However, repeat violations of AHERA may be considered knowing and willful violations of

TSCA, and therefore, may be subject to additional enforcement actions including civil and criminal penalties and injunctive relief.

If you have not already done so, you must immediately remedy these violations. If the violations are not corrected within thirty (30) days of your receipt of this NON, the AHERA ERP directs the EPA Region to pursue further action, including press releases, notification of the State Governor, injunctive relief, or criminal referral. Therefore, within thirty (30) days of your receipt of this NON, you must execute and return to Garry D. Sherman (3WC32), Regional Asbestos Coordinator, United States Environmental Protection Agency, Region III, 1650 Arch Street, Philadelphia, PA 19103-2029, the certification set forth below:


I hereby certify that the Local Education Agency, The Owl Elementary School, has corrected the violations cited in the Notice of Noncompliance and has complied with all other requirements of the "Asbestos-Containing Materials in Schools" codified at 40 C.F.R. Part 763, Subpart E. I understand that the United States Environmental Protection Agency retains the right to reinspect Local Education Agencies and that the discovery of further violations may lead to additional enforcement action including possible imposition of civil penalties.

Principal

Date

In accordance with the AHERA ERP, I am forwarding a copy of this NON to the Governor's office. If you have any questions regarding this NON, your attorney, or you, if you are not represented by an attorney, may contact Mr. Sherman by telephone at (215) 814-5267.

Very truly yours,


Donald J. Lott, Chief
Pesticides/Asbestos Programs & Enforcement Branch

Enclosure

cc: Mayor Anthony Williams, Washington, D.C.
Governor Parris N. Glendening, Maryland